


PRIORITIES for MNH

PRIORITIES FOR IMPLEMENTATION


Liverpool is my favourite city to visit

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree




Going forward there is a role for UK volunteers to continue to support the EmOC &NC training in country

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree




CMNH should continue to function as a global co-ordinating centre for 'skills and drills' type training

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree




There is a need to better learn from, and make use of, findings obtained via baseline surveys such that programmes can meet the identified needs of the health care facility.

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree



A clear process for moving from data to action needs to be developed and implemented.

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree



Quality Assurance of the MDSR process is needed. This could be done by ensuring lessons learnt across countries are shared – e.g. having exchange of expertise across implementing countries


A. Strongly Agree

B. Agree

C. Neutral


D. Disagree

E. Strongly Disagree



Stillbirth needs to be made a notifiable condition in all countries


- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree



PRIORITIES FOR RESEARCH


Different lengths of 'skills and drills' type EmOC and NC training should be evaluated (e.g. comparison of 3 vs 5 vs 10 days models)

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree




There is a need for studies that assess how provider clinical practice changes (or not) after 'skills and drills' type EmOC and NC training

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree




There is a need to conduct studies to evaluate which model of supportive supervision is most effective

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree




The % of women giving birth for whom a partograph was correctly completed, should be used as an indicator of the quality of care at time of birth

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree



There is a need for pragmatic trials to evaluate the effectiveness of audit approaches in MNH.

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree



We currently have signal functions for EmOC defined internationally. There is now a need to develop such signal functions for Antenatal Care (ANC), Postnatal Care (PNC) and early Newborn Care (NC).

- A. Strongly Agree
- B. Agree
- C. Neutral
- D. Disagree
- E. Strongly Disagree

